



PROFILE FOR

WELLING MEDICAL PRACTICE

2 DANSON CRESCENT, WELLING, KENT

These profiles are designed to support clinical commissioning groups (CCGs), GPs and local authorities to ensure that they are providing and commissioning effective and appropriate healthcare services for their local population. The tool presents a range of practice-level indicators drawn from the latest available data, including:

- local demography;
- Quality and Outcomes Framework domains;
- patient satisfaction survey;
- disease prevalence estimates;
- admission rates

In addition to displaying individual practice profiles, the web tool allows you to view summary profiles for CCGs. Each practice can be compared with its CCG and with England, and also with the practice in the same deprivation decile and 'peer group' (although PDF generation is limited to CCG and England comparison).

The profiles do not provide an exhaustive list of primary care indicators, but they do allow a consistent approach to comparing and benchmarking across England.

The profiles have been designed as a web tool and the full functionality and various chart types such as scatter plots and trend charts are only available via the web version. For more information consult the User guide and FAQs via the Supporting documents link, and for full metadata view the 'Definitions' on the website.

The development of this tool has been led by Public Health England, Knowledge and Intelligence Team (East). For further information contact: EastKIT@phe.gov.uk

Registered Persons

WELLING MEDICAL PRACTICE 13,327

NHS Bexley CCG 8,104 (average)

England 7,041 (average)

Deprivation

Third less deprived decile

8

More deprived

Less deprived

QOF achievement 976 (out of 1000)

Male life expectancy 79.8 years


Female life expectancy 83.6 years

% of patients that would recommend their practice 60.2%

Ethnicity Estimate

3.8% asian, 3.1% black, 2.3% other non-white ethnic groups

2013 Age Distribution



<http://fingertips.phe.org.uk/profile/general-practice>

How to read the indicator spine charts

The light grey bar shows the range of values found in England. The dark grey sections mark out the range within which the middle half of the observed values lie (25th to 75th percentile).

The red line shows where the England average is. The position of the circle shows the practice value, a triangle the CCG value, in relation to this scale.

The corresponding numbers can be found in the cells next to the chart.

If significance has been calculated for the indicator, then it is determined by whether the practice value is significantly higher or lower than the England average usually using 99.8% confidence intervals.

- No significant difference from England average
- Significantly different from England average
- Significance not calculated

- Practice
- ▽ Clinical Commissioning Group



Practice Summary

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
% aged 0 to 4 years	2013	5.2%	6.6%	6.0%	0.0%		16.4%
% aged 5 to 14 years	2013	10.7%	12.4%	11.2%	0.0%		29.8%
% aged under 18 years	2013	19.6%	22.8%	20.8%	0.1%		53.9%
% aged 65+ years	2013	18.2%	16.9%	16.7%	0.0%		48.4%
% aged 75+ years	2013	8.3%	8.2%	7.7%	0.0%		26.8%
% aged 85+ years	2013	2.3%	2.3%	2.2%	0.0%		9.7%
Deprivation score (IMD)	2012	15.0	17.4	21.5	2.9		68.4
IDACI (Income Deprivation Affecting Children)	2012	16.0%	20.0%	21.8%	1.0%		68.0%
IDAOP (Income Deprivation Affecting Older People)	2012	13.0%	14.1%	18.1%	4.0%		80.0%
% who would recommend practice	2012/13	60.2%	75.1%	79.9%	23.8%		100%
% satisfied with phone access	2012/13	61.6%	69.1%	75.0%	11.2%		100%
% satisfied with opening hours	2012/13	68.9%	76.1%	79.6%	37.9%		100%
% who saw/spoke to nurse or GP same or next day	2012/13	36.6%	45.3%	49.4%	9.9%		98.9%
% reporting good overall experience of making appointment	2012/13	60.7%	72.1%	76.3%	20.4%		100%
% who know how to contact an out-of-hours GP service	2012/13	64.2%	59.9%	57.6%	14.6%		90.4%
% with a long-standing health condition	2012/13	51.3%	51.2%	53.5%	8.3%		83.0%
% with health-related problems in daily life	2011/12	42.5%	46.0%	48.7%	12.8%		95.5%
% with caring responsibility	2012/13	21.0%	18.7%	18.6%	0.0%		39.6%
Disability allowance claimants (per 1000)	Nov 2011	36.7	42.4	48.3	8.7		235.1
Nursing home patients	2010/11	0.0%		0.5%	0.0%		21.9%
Working status - Paid work or full-time education	2012/13	57.5%	62.1%	60.7%	10.3%		100%
Working status - Unemployed	2012/13	4.1%	5.9%	5.6%	0.0%		62.2%
Total QOF points	2012/13	97.6%	96.3%	96.1%	28.6%		100%

Modelled Disease Prevalence

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
Estimated prevalence of CVD (all ages)	2011	9.4%	9.1%	9.5%	2.6%		19.4%
Estimated prevalence of CHD (all ages)	2011	4.4%	4.1%	4.7%	0.0%		12.9%
Ratio of recorded vs expected CHD prevalence	2010/11	0.72		0.72	0.00		2.72
Estimated prevalence of COPD (all ages)	2011	3.42%	3.16%	2.91%	0.62%		6.47%
Ratio of recorded vs expected COPD prevalence	2010/11	0.43		0.56	0.00		2.54
Estimated prevalence of hypertension (all ages)	2011	26.1%	24.1%	24.9%	4.2%		44.7%
Ratio of recorded vs expected hypertension prevalence	2010/11	0.50		0.54	0.01		1.61
Estimated prevalence of stroke (all ages)	2011	1.95%	1.88%	2.07%	0.16%		5.44%
Ratio of recorded vs expected stroke prevalence	2010/11	0.72		0.83	0.00		2.84

CVD - Coronary heart disease

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
CHD: QOF prevalence (all ages)	2012/13	3.3%	3.0%	3.3%	0.0%		9.1%
Estimated prevalence of CHD (all ages)	2011	4.4%	4.1%	4.7%	0.0%		12.9%
Ratio of recorded vs expected CHD prevalence	2010/11	0.72		0.72	0.00		2.72
Heart failure w LVD: QOF prevalence	2012/13	0.4%	0.3%	0.4%	0.0%		2.5%
Exception rate for CHD indicators	2012/13	8.0%	10.2%	9.5%	0.0%		54.5%
CHD emergency admissions (per 100 patients on register)	2010/11	9.8	7.9	7.1	0.0		100.0
CHD elective admissions (per 100 patients on register)	2010/11	6.2	6.2	5.3	0.0		57.1
CHD 6: Last BP reading in last 15mths is <=150/90	2012/13	93.8%	89.8%	90.6%	0.0%		100%
CHD 8: Last total cholesterol is <=5mmol/l	2012/13	83.8%	78.8%	80.1%	0.0%		100%
CHD 9: Record that aspirin, APT or ACT is taken	2012/13	91.3%	91.9%	93.3%	67.6%		100%
CHD 10: Currently treated with beta blocker	2012/13	65.2%	72.0%	76.3%	43.8%		100%
CHD 12: CHD patients given flu immunisation 1 Sep - 31 Mar	2012/13	91.4%	92.9%	92.2%	0.0%		100%
CHD 14: History of MI: treated with ACE-I	2012/13	81.3%	88.0%	88.2%	0.0%		100%

CVD - Stroke and TIA

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
Stroke: QOF prevalence (all ages)	2012/13	1.6%	1.5%	1.7%	0.0%		6.5%
Estimated prevalence of stroke (all ages)	2011	1.95%	1.88%	2.07%	0.16%		5.44%
Ratio of recorded vs expected stroke prevalence	2010/11	0.72		0.83	0.00		2.84
Exception rate for stroke indicators	2012/13	6.5%	9.3%	7.7%	0.0%		75.0%
Stroke 13: New patients referred for further investigation	2012/13	98.9%	87.7%	88.7%	0.0%		100%
Stroke 6: Last BP reading is 150/90 or less	2012/13	90.7%	89.4%	89.3%	40.0%		100%
PAD 3: last blood pressure reading (last 15 mnths) <=150/90	2012/13	94.0%	90.0%	89.6%	0.0%		100%
Stroke 7: Total cholesterol recorded in last 15mnths	2012/13	95.6%	91.6%	91.0%	0.0%		100%
PAD 4: last total cholesterol measurement (last 15 mnths) <= 5.0 mmol/l	2012/13	90.8%	80.7%	79.9%	0.0%		100%
Stroke 8: Last measured total cholesterol <=5mmol/l	2012/13	76.0%	77.5%	77.3%	0.0%		100%
Stroke 12: Record of aspirin, APT or ACT taken	2012/13	92.6%	93.2%	93.8%	0.0%		100%
PAD 2: record of aspirin being taken (last 15 mnth)	2012/13	97.2%	90.6%	90.4%	0.0%		100%
Stroke 10: Influenza immunisation given 1 Sep-31 Mar	2012/13	87.0%	90.6%	89.7%	0.0%		100%

CVD - Heart failure and atrial fibrillation

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
Heart Failure: QOF prevalence (all ages)	2012/13	0.7%	0.7%	0.7%	0.0%		3.9%
Heart failure w LVD: QOF prevalence	2012/13	0.4%	0.3%	0.4%	0.0%		2.5%
Exception rate for heart failure indicators	2012/13	5.5%	10.9%	12.0%	0.0%		100%
Atrial fibrillation: QOF prevalence	2012/13	1.8%	1.4%	1.5%	0.0%		5.1%
Exception rate for atrial fibrillation indicators	2012/13	7.6%	8.4%	8.2%	0.0%		100%
HF 2: Diagnosis conf. by ECG/specialist assessm.	2012/13	92.2%	95.1%	95.3%	0.0%		100%
HF 3: HF w LVD: treated with ACE-I or ARB	2012/13	83.0%	88.4%	89.7%	0.0%		100%
HF 4: Heart failure w LVD: treatment w ACE inh. or ARB, and beta-blocker	2012/13	81.1%	84.5%	86.7%	0.0%		100%
AF 5: stroke risk assessed with CHADS2 (last 15 mnths)	2012/13	100%	99.2%	97.2%	0.0%		100%
AF 6: treated w anti-coag./platelet therapy (if CHADS2 =1)	2012/13	96.3%	94.0%	95.1%	0.0%		100%
AF 7: treated w anti-coag. therapy (CHADS2 >1)	2012/13	82.9%	80.5%	81.3%	0.0%		100%

CVD - Risk factors for CVD

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
Hypertension: QOF prevalence (all ages)	2012/13	13.7%	14.1%	13.7%	0.0%		36.1%
Estimated prevalence of hypertension (all ages)	2011	26.1%	24.1%	24.9%	4.2%		44.7%
Ratio of recorded vs expected hypertension prevalence	2010/11	0.50		0.54	0.01		1.61
Exception rate for hypertension indicators	2012/13	0.9%	2.6%	2.8%	0.0%		100%
Exception rate for smoking indicators	2012/13	0.4%	0.4%	0.6%	0.0%		10.4%
Exception rate for CVD primary prevention indicators	2012/13	6.5%	5.6%	6.2%	0.0%		85.9%
Obesity: QOF prevalence (16+)	2012/13	12.4%	13.1%	10.7%	0.0%		43.3%
GP patient survey: smoking prevalence	2012/13	9.6%	15.3%	18.1%	0.0%		84.9%
GP patient survey: ex-smoking prevalence	2012/13	35.4%	28.9%	27.3%	0.7%		47.0%
BP 4: Record of BP in last 9mths	2012/13	94.1%	91.1%	91.1%	57.5%		100%
BP 5: Last (9mths) blood pressure <=150/90	2012/13	87.9%	81.5%	80.8%	43.2%		100%
PP 1: CV risk assessment for new hypertension cases	2012/13	83.9%	82.9%	82.3%	0.0%		100%
PP 2: Lifestyle advice for new hypertension cases	2012/13	81.3%	82.5%	83.2%	0.0%		100%
Dep 1: Depression case finding in CHD and/or diabetes patients	2012/13	90.8%	87.4%	88.3%	0.4%		100%
Smoking 5: status recorded in last 15 mths (certain conditions)	2012/13	97.3%	95.9%	95.8%	74.7%		100%
Smoking 6: cessation support and treatment offered (certain conditions)	2012/13	93.2%	94.3%	93.3%	10.5%		100%
Smoking 7: record of smoking status in last 27 months (15+ y)	2012/13	89.7%	89.5%	86.0%	54.0%		100%
Smoking 8: record of offer of support and treatment (15+ y)	2012/13	67.0%	85.9%	83.1%	5.2%		100%
























Diabetes

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
Diabetes: QOF prevalence (17+)	2012/13	6.9%	6.7%	6.0%	0.3%		18.5%
Exception rate for diabetes indicators	2012/13	6.8%	8.0%	7.1%	0.3%		45.9%
Hypertension: QOF prevalence (all ages)	2012/13	13.7%	14.1%	13.7%	0.0%		36.1%
Exception rate for hypertension indicators	2012/13	0.9%	2.6%	2.8%	0.0%		100%
Exception rate for smoking indicators	2012/13	0.4%	0.4%	0.6%	0.0%		10.4%
Obesity: QOF prevalence (16+)	2012/13	12.4%	13.1%	10.7%	0.0%		43.3%
Diabetes admissions (per 1000)	2010/11	0.9	0.7	1.1	0.0		11.5
Ratio of recorded vs expected diabetes prevalence	2008/09	1.0		0.9	0.0		5.8
DM 2: Record of BMI in the last 15mths	2012/13	92.0%	95.2%	94.6%	33.9%		100%
DM 26: Last HbA1c is <=7.5% in last 15mths	2012/13	76.5%	74.2%	66.5%	19.7%		100%
DM 27: Last HbA1c is <=8% in last 15mths	2012/13	83.3%		75.4%	30.6%		100%
DM 28: Last HbA1c is <=9% in last 15mths	2012/13	90.5%	89.7%	86.4%	32.9%		100%
DM 21: Retinal screening in last 15mths	2012/13	90.5%	92.9%	91.7%	28.7%		100%
DM 29: Record of peripheral pulses last 15mths	2012/13	86.0%	90.4%	90.4%	0.0%		100%
DM 10: Record of neuropathy test last 15mths	2012/13	87.3%	90.5%	90.9%	8.0%		100%
DM 30: Last BP is <=150/90	2012/13	93.7%	91.8%	90.4%	61.5%		100%
DM 31: Last BP is <=140/80	2012/13	73.6%	73.2%	72.9%	28.4%		100%
DM 13: Record of micro-albuminuria test last 15mths	2012/13	88.1%	88.6%	88.0%	1.7%		100%
DM 22: eGFR or serum creatinin testing in last 15mths	2012/13	96.0%	95.9%	96.7%	68.6%		100%
DM 15: Proteinuria/micro-album. treated w inhibitors	2012/13	84.4%	87.7%	86.8%	0.0%		100%
DM 17: Measured total chol (last 15mths) <=5mmol/l	2012/13	76.7%	79.9%	81.2%	40.9%		100%
DM 18: Influenza immunisation given 1 Sep - 31 Mar	2012/13	87.4%	90.5%	90.0%	0.0%		100%
Dep 1: Depression case finding in CHD and/or diabetes patients	2012/13	90.8%	87.4%	88.3%	0.4%		100%
Smoking 5: status recorded in last 15 mths (certain conditions)	2012/13	97.3%	95.9%	95.8%	74.7%		100%
Smoking 6: cessation support and treatment offered (certain conditions)	2012/13	93.2%	94.3%	93.3%	10.5%		100%







Mental Health

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
Mental Health: QOF prevalence (all ages)	2012/13	0.7%	0.7%	0.8%	0.1%		18.0%
Dementia: QOF prevalence (all ages)	2012/13	0.4%	0.6%	0.6%	0.0%		9.6%
% reporting Alzheimer's disease or dementia	2012/13	0.0%	-	0.5%	0.0%		6.1%
Exception rate for dementia indicators	2012/13	14.6%	13.1%	12.2%	0.0%		100%
Depression: QOF prevalence (18+)	2012/13	5.6%	4.3%	5.8%	0.0%		25.6%
Exception rate for depression indicators	2012/13	3.5%	4.4%	5.3%	0.0%		41.5%
% reporting a long-term mental health problem	2012/13	4.6%	3.9%	4.5%	0.0%		52.5%
MH 10: comprehensive care plan	2012/13	84.9%	88.7%	87.3%	0.0%		100%
MH 11: record of alcohol consumption	2012/13	77.0%	92.6%	90.9%	0.0%		100%
MH 12: record of BMI	2012/13	78.1%	91.1%	89.5%	10.0%		100%
MH 13: record of blood pressure	2012/13	79.2%	93.5%	92.0%	33.3%		100%
MH 16: record of cervical screening test	2012/13	90.5%	89.2%	88.5%	0.0%		100%
MH 17: Li-therapy: record of s.creat. & TSH last 9mths	2012/13	80.0%	93.5%	95.9%	0.0%		100%
MH 18: Lithium therapy: record of Li-levels last 4mths	2012/13	78.9%	88.1%	88.9%	0.0%		100%
MH 19: record of cholesterol:hdl ratio	2012/13	80.6%	82.2%	81.7%	0.0%		100%
MH 20: record of blood glucose or HbA1c in last 15 months	2012/13	81.8%	87.9%	86.7%	0.0%		100%
DEM 2: Dementia care has been reviewed last 15mths	2012/13	75.0%	83.1%	83.2%	0.0%		100%
DEM 4: Blood tests recorded	2012/13	61.1%	69.1%	76.6%	0.0%		100%
Dep 1: Depression case finding in CHD and/or diabetes patients	2012/13	90.8%	87.4%	88.3%	0.4%		100%
Dep 6: Depression cases with severity assessment	2012/13	100%	94.7%	90.6%	0.0%		100%
Dep 7: Depression cases with second assessment of severity	2012/13	81.0%	79.7%	75.4%	0.0%		100%

























Respiratory Disease

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
COPD: QOF prevalence (all ages)	2012/13	1.8%	1.7%	1.7%	0.0%		8.2%
Estimated prevalence of COPD (all ages)	2011	3.42%	3.16%	2.91%	0.62%		6.47%
Ratio of recorded vs expected COPD prevalence	2010/11	0.43		0.56	0.00		2.54
Exception rate for COPD indicators	2012/13	10.8%	13.6%	11.6%	0.0%		100%
COPD admissions (per 1000)	2010/11	1.2	1.7	2.1	0.0		16.2
Asthma: QOF prevalence (all ages)	2012/13	5.3%	5.2%	6.0%	0.0%		13.7%
Exception rate for asthma indicators	2012/13	1.5%	8.5%	6.6%	0.0%		100%
Exception rate for smoking indicators	2012/13	0.4%	0.4%	0.6%	0.0%		10.4%
GP patient survey: smoking prevalence	2012/13	9.6%	15.3%	18.1%	0.0%		84.9%
GP patient survey: ex-smoking prevalence	2012/13	35.4%	28.9%	27.3%	0.7%		47.0%
COPD 8: Influenza immunisation given 1 Sep - 31 Mar	2012/13	92.7%	92.9%	92.7%	0.0%		100%
COPD 10: Record of FEV1 in last 15mths	2012/13	91.7%	90.5%	88.4%	0.0%		100%
COPD 13: assessed using MRC dyspnoea score last 15mths	2012/13	90.7%	92.6%	91.1%	0.0%		100%
COPD 15: Diagnosis conf. by spirometry	2012/13	97.9%	91.8%	91.3%	0.0%		100%
Asthma 8: with measures of variability/reversibility (8+)	2012/13	92.4%	88.8%	87.6%	16.7%		100%
Asthma 9: review in the last 15 months (incl. an assessment using the 3 RCP questions)	2012/13	74.7%	74.6%	74.8%	0.0%		100%
Asthma 10: smoking recorded in last 15 mths (14-19y w asthma)	2012/13	87.3%	88.1%	89.3%	0.0%		100%
Smoking 5: status recorded in last 15 mths (certain conditions)	2012/13	97.3%	95.9%	95.8%	74.7%		100%
Smoking 6: cessation support and treatment offered (certain conditions)	2012/13	93.2%	94.3%	93.3%	10.5%		100%
Smoking 7: record of smoking status in last 27 months (15+ y)	2012/13	89.7%	89.5%	86.0%	54.0%		100%
Smoking 8: record of offer of support and treatment (15+ y)	2012/13	67.0%	85.9%	83.1%	5.2%		100%
Uptake seasonal flu vaccine (65+)	2010/11	67.0%	69.0%	72.8%	9.0%		99.4%
Uptake seasonal influenza vaccine (6 months to 64 years old)	2010/11	46.5%	48.1%	50.4%	3.0%		100%

Chronic Kidney Disease

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
CKD: QOF prevalence (18+)	2012/13	6.9%	3.7%	4.3%	0.0%		24.1%
Exception rate for CKD indicators	2012/13	1.6%	4.1%	3.6%	0.0%		100%
CKD 2: Record of BP in last 15mths	2012/13	92.1%	96.1%	97.1%	60.0%		100%
CKD 3: Last BP reading measured in last 15mths is <=140/85	2012/13	75.0%	75.9%	76.2%	0.0%		100%
CKD 5: Hypertension treated with ACE inhibitor/ARB	2012/13	82.4%	89.5%	89.3%	0.0%		100%
CKD 6: Urine albumin:creatinine ratio test last 15mths	2012/13	88.2%	81.5%	81.8%	0.0%		100%
























Other Conditions

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
Cancer: QOF prevalence (all ages)	2012/13	2.5%	1.9%	1.9%	0.0%		5.5%
Exception rate for cancer indicators	2012/13	0.0%	1.1%	1.5%	0.0%		100%
Cancer admissions (per 1000)	2010/11	43.2	34.7	28.6	0.0		97.0
Cancer 3: review within 6mths of diagnosis	2012/13	92.3%	91.8%	93.2%	0.0%		100%
% reporting cancer in the last 5 years	2012/13	4.4%	3.3%	3.1%	0.0%		12.5%
Epilepsy: QOF prevalence (18+)	2012/13	0.6%	0.7%	0.8%	0.1%		4.0%
Exception rate for epilepsy indicators	2012/13	14.5%	12.4%	14.0%	0.0%		70.0%
Epilepsy 6: Record of seizure frequency	2012/13	93.8%	95.0%	94.8%	0.0%		100%
Epilepsy 8: Seizure free for last 12mths	2012/13	80.4%	78.2%	75.4%	0.0%		100%
Epilepsy 9: Contraception, conception and pregnancy	2012/13	100%	98.6%	93.5%	0.0%		100%
Learning disability: QOF prevalence (18+)	2012/13	0.2%	0.3%	0.5%	0.0%		5.6%
% reporting learning difficulty	2012/13	0.0%	0.8%	1.3%	0.0%		14.8%
LD 2: Down's Syndrome with blood TSH record	2012/13	100%	94.9%	92.3%	0.0%		100%
Hypothyroidism: QOF prevalence (all ages)	2012/13	3.8%	3.4%	3.2%	0.2%		8.5%
Exception rate for hypothyroidism indicators	2012/13	0.4%	0.6%	0.5%	0.0%		40.0%
Thyroid 2: function test recorded last 15mths	2012/13	98.4%	95.4%	95.7%	60.0%		100%
Palliative/supportive care: QOF prevalence (all ages)	2012/13	0.2%	0.3%	0.2%	0.0%		3.3%
% reporting blindness or severe visual impairment	2012/13	0.0%	0.9%	1.1%	0.0%		9.2%
% reporting deafness or severe hearing impairment	2012/13	2.5%	3.3%	4.0%	0.0%		14.5%
% reporting a long-term back problem	2012/13	8.5%	8.2%	10.2%	0.0%		32.9%
% reporting arthritis or long-term joint problem	2012/13	7.2%	11.6%	13.1%	0.0%		36.1%
Osteoporosis: QOF prevalence (50+)	2012/13	0.3	0.3	0.2	0.0		13.5
OST 2: currently treated with a bone-sparing agent (50-74 yrs)	2012/13	100%	100%	97.1%	0.0%		100%
OST 3: Patients (75+ yrs) with a fragility fracture treated with bone-sparing agent	2012/13	77.8%	75.0%	84.4%	0.0%		100%








Secondary Care Use - Outpatients

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
All outpatient attendances (per 1000)	2010/11	905	840	853	150		2541
Total outpatient appointment expenditure per registered population	2010	103	91	92	16		222
First outpatient appointment (per 1000)	2010	364	307	347	72		1077
First outpatient appointment expenditure per registered population	2010	50	43	43	8		139
GP referrals to outpatients - 1st attendance (per 1000)	2010/11	168	150	192	30		557
Follow-ups to first outpatient appointments (per 1000)	2010	612	565	550	78		1384
Outpatients discharged at 1st appointment (per 1000)	2010	107	87	110	6		583
DNA: Rate of total outpatient appointments (per 1000)	2010	149	139	191	3		846
DNA: proportion of total 1st outpatient appointments	2010/11	6.4%	6.9%	7.0%	0.0%		34.7%
GP referrals to General Medicine - 1st attendance (per 1000)	2010/11	5.2	5.2	10.8	0.0		87.4
General Medicine - return ratio	2010/11	3.3		2.5	0.0		17.2
GP referrals to General Surgery - 1st attendance (per 1000)	2010/11	26	22	24	2		71
General Surgery - return ratio	2010/11	1.30		1.40	0.00		4.90
GP referrals to Gynaecology - 1st attendance (per 1000)	2010/11	15	13	17	0		80
Gynaecology - return ratio	2010/11	1.4		1.2	0.0		4.2
GP referrals to Orthopaedics - 1st attendance (per 1000)	2010/11	21	18	21	1		100
Orthopaedics - return ratio	2010/11	1.60		1.80	0.50		3.80
GP Referrals to Urology - 1st attendance (per 1000)	2010/11	5.3	5.8	8.0	0.0		27.4
Urology - return ratio	2010/11	2.0		2.2	0.0		15.0
GP referrals to Paediatrics - 1st attendance (per 1000)	2010/11	6.7	5.8	6.2	0.0		78.9
GP referrals to Dermatology - 1st attendance (per 1000)	2010/11	8.5	7.7	13.9	0.4		56.1

Secondary Care Use - A&E and Inpatients

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
A&E attendances (per 1000)	2010/11	309	281	387	14		1519
A&E admissions (per 1000)	2010/11	8	8	10	0		199
A&E attendances with primary diagnosis recorded	2010/11	8.0%	10.6%	59.8%	1.0%		100%
A&E referrals (weighted)	2010	17.7	14.9	16.8	0.0		398.4
Total admissions (per 1000)	2010/11	258	232	235	11		585
Elective admissions (per 1000)	2010/11	147	124	121	6		327
Emergency admissions (per 1000)	2010/11	82	78	89	4		440
Elective inpatient admissions (per 1000)	2010/11	29.8	25.7	25.6	0.0		78.3
Day case admissions (per 1000)	2010/11	117.6	98.2	93.2	4.9		277.5
Long term conditions emergency bed days (per 1000)	2010/11	403	442	470	21		2544
Average emergency overnight occupied beds (per 1000)	2010/11	1.1	1.2	1.2	0.0		3.5
CHD total admissions (per 1000)	2010/11	6.3	4.6	4.6	0.0		17.1
CHD elective admissions (per 100 patients on register)	2010/11	6.2	6.2	5.3	0.0		57.1
CHD emergency admissions (per 100 patients on register)	2010/11	9.8	7.9	7.1	0.0		100.0
Respiratory disease admissions (per 1000)	2010/11	13	14	17	1		61
Diabetes admissions (per 1000)	2010/11	0.9	0.7	1.1	0.0		11.5
COPD admissions (per 1000)	2010/11	1.2	1.7	2.1	0.0		16.2
Cancer admissions (per 1000)	2010/11	43.2	34.7	28.6	0.0		97.0
Admissions for long term neurological conditions (per 1000)	2011/12	6.1	6.0	5.7	0.0		35.8
Emergency admissions for chronic conditions (per 1000)	2010/11	12.9	12.7	15.0	0.7		67.4
Total admissions expenditure (£ per patient)	2010	376	343	333	32		770
Expenditure on elective admissions (£ per patient)	2010	179	144	137	0		319
Expenditure on emergency admissions (£ per patient)	2010	150	149	157	14		579

Indicators for Needs Assessment

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
Life expectancy - MSOA based estimate (Male)	2006 - 10	79.8		78.3	69.7		91.6
Life expectancy - MSOA based estimate (Female)	2006 - 10	83.6		82.3	75.1		91.0
Fertility rate (MSOA based)	2006 - 10	54.4		63.1	12.0		134.3
Low birthweight births - MSOA based estimate	2006 - 10	6.8%		7.5%	2.4%		13.0%
All cause elective standardised admission ratio (MSOA based)	2006/07 - 10/11	103.0		100.0	47.7		174.8
All cause emergency standardised admission ratio (MSOA based)	2006/07 - 10/11	76.2		100.0	43.8		235.2
CHD elective standardised admission ratio (MSOA based)	2006/07 - 10/11	96.0		100.0	32.6		293.5
CHD emergency standardised admission ratio (MSOA based)	2006/07 - 10/11	89.8		100.0	40.2		376.0
Stroke emergency standardised admission ratio (MSOA based)	2006/07 - 10/11	86.4		100.0	43.3		212.3
COPD emergency standardised admission ratio (MSOA based)	2006/07 - 10/11	71.8		100.0	17.7		541.8
Limiting long-term illness (MSOA based)	2009	15.1%		16.9%	6.0%		32.0%
Long term unemployment (MSOA based)	2010/11	2.9		6.0	0.1		40.8
Healthy eating adults (MSOA based)	2006 - 08	30.9%		28.7%	13.8%		54.1%
Prevalence of adults who binge drink	2007 - 08	14.3%		20.0%	4.3%		50.4%
Standardised admission ratio for alcohol attributable harm (MSOA based)	2006/07 - 10/11	67.3		100.0	34.0		273.7
Prevalence of obese adults	2006 - 08	25.0%		24.2%	9.6%		33.8%
Incidence of all cancers (MSOA based)	2005 - 09	98.9		100.0	66.7		147.0
Cancer mortality age <75 (MSOA based)	2006 - 10	96.7		100.0	37.2		205.3
Circulatory disease mortality age <75 (MSOA based)	2006 - 10	77.0		100.0	26.8		265.8

Child health

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
% aged 0 to 4 years	2013	5.2%	6.6%	6.0%	0.0%		16.4%
% aged 5 to 14 years	2013	10.7%	12.4%	11.2%	0.0%		29.8%
% aged under 18 years	2013	19.6%	22.8%	20.8%	0.1%		53.9%
IDACI (Income Deprivation Affecting Children)	2012	16.0%	20.0%	21.8%	1.0%		68.0%
Fertility rate (MSOA based)	2006 - 10	54.4	64.0	63.1	12.0		134.3
Low birthweight births - MSOA based estimate	2006 - 10	6.8%	6.8%	7.5%	2.4%		13.0%
A&E attendances (0-4)	2009/10 - 11/12	629	552	488	16		2282
A&E attendances (5-17)	2009/10 - 11/12	254	216	287	4		1209
A&E attendances (<18)	2009/10 - 11/12	352	313	345	6		1423
Elective hospital admissions for all causes (<18)	2009/10 - 11/12	40.3	46.5	47.3	0.0		245.2
Emergency hospital admissions for all causes (<18)	2009/10 - 11/12	47.6	47.8	67.6	2.1		261.3
Emergency respiratory admissions (<18)	2007/08 - 11/12	3.6	2.6	3.6	0.0		16.1
Emergency gastroenteritis admissions (0-4)	2007/08 - 11/12	6.0	8.0	11.8	0.0		70.7
Emergency admissions for asthma, diabetes or epilepsy (<18)	2007/08 - 11/12	2.9	2.5	3.5	0.0		35.2
Admissions due to injury (<18)	2009/10 - 11/12	8.8	8.1	12.1	0.0		34.8
Outpatient first attendances (<18)	2009/10 - 11/12	207	181	226	5		948
Ratio of first to follow-up outpatient attendances (<18)	2009/10 - 11/12	0.5	0.5	0.5	0.2		3.2
DNA rate for outpatient appointments (<18)	2009/10 - 11/12	12.3%	13.0%	12.3%	0.6%		50.0%